

2022

TERRA

ORBEA

GEO CHARTS

TERRA HYDRO

TALLAS	XS	S	M	L	XL	XXL
1 - Tubo de sillín (C-T)	425	458	491	524	557	590
2 - Tubo horizontal (EFF)	526	539	558	570	590	603
3 - Tubo frontal	110	131	152	178	199	220
4 - Vaina	430	430	430	430	430	430
5 - Altura eje pedalier (30-622) / (40-622)	263/278	263/278	263/278	265/280	265/280	265/280
6 - Caída eje pedalier	78	78	78	76	76	76
7 - Distancia entre ejes	1020	1030	1039	1054	1063	1072
8 - Ángulo frontal	70°	70.5°	71°	71°	71.5°	72°
9 - Ángulo del sillín	74°	74°	73.5°	73.5°	73°	73°
10 - Altura base (30-622) / (40-622)	704/718	731/746	759/773	788/803	815/830	838/853
11 - Largo del cuadro	375	382	389	395	402	409
12 - Altura del cuadro	526	548	570	592	614	636
13 - Longitud horquilla	390	390	390	390	390	390
Trail (30-622) / (40-622)	66/71	62/68	59/64	59/64	56/61	53/58

ALTURA (cm)	ALTURA (in)	TALLA
155-166	61.1"-65.4"	XS
167-172	65.7"-67.7"	S
173-179	68.1"-70.5"	M
180-185	70.9"-72.8"	L
186-191	73.2"-75.2"	XL
192-207	75.6"-81.5"	XXL




Copper (Matt)
D8



Night Black (Matt-Gloss)
D9



Mango (Gloss)
DA



TERRA H30

Ref.	M106		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
2.299	2,799	2,299

Cuadro	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Alloy forged 30x46t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15, w/Di2 hole
Cinta de manillar	Orbea Eva
Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface



Manetas	Shimano ST-RX600
Freno	Shimano RX400 Hydraulic disc
Cambio	Shimano RD-RX810
Desviador	Shimano GRX RX810
Cadena	Shimano HG 601
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H
Piñón	Shimano 105 R7000 11-34t 11-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid

Cubierta	Vittoria Terreno Dry Gravel G2.0 TNT 700x38c
Kit Tubeless	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)
Tija sillín	OC2 Carbon 27.2 Offset 20
Sillín	Fizik Aliante R5
Guardabarros	Orbea SKS 46S 700x45C + Pirelli Cinturato™ Velo 700x35C TLR

TERRA H30 1X

Ref.	M107		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
2.199	2,699	2,199

Cuadro	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Alloy forged 40t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15, w/Di2 hole
Cinta de manillar	Orbea Eva
Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface



Manetas	Shimano ST-RX600
Freno	Shimano RX400 Hydraulic disc
Cambio	Shimano RX812 GS
Cadena	Shimano HG 601
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H
Piñón	Shimano CS-M7000 11-40t 11-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Cubierta	Vittoria Terreno Dry Gravel G2.0 TNT 700x38c
Kit Tubeless	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)

Tija sillín	OC2 Carbon 27.2 Offset 20
Sillín	Fizik Aliante R5
Guardabarros	Orbea SKS 46S 700x45C + Pirelli Cinturato™ Velo 700x35C TLR

TERRA H40

Ref.	M105		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
1.999	2.499	1.999

Cuadro	Orbea Terra Hydro disc, hydroformed triple butted aluminium, HS 1,5", PF, Thru Axle 12mm x 142mm rear, thread M12x2 P1, DT internal cable routing, 27,2mm seat tube, MMS system
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer,
Plato	Shimano GRX RX600-10 30x46t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15, w/Di2 hole
Cinta de manillar	Orbea Eva
Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface



Manetas	Shimano ST-RX400
Freno	Shimano RX400 Hydraulic Disc
Cambio	Shimano RD-RX400
Desviador	Shimano GRX RX400
Cadena	KMC X10
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H
Piñón	Shimano Tiagra HG-500 11-34t 10-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Cubierta	Vittoria Terreno Dry Gravel G2.0 TNT 700x38c

Kit tubeless	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)
Tija sillín	OC2 Carbon 27.2 Offset 20
Sillín	Fizik Aliante R5
Guardabarros	Orbea SKS 46S 700x45C + Pirelli Cinturato™ Velo 700x35C TLR

GEO CHARTS

TERRA CARBON

TALLAS	XS	S	M	L	XL	XXL
1 - Tubo de sillín (C-T)	405	438	471	504	537	570
2 - Tubo horizontal (EFF)	526	539	558	570	590	603
3 - Tubo frontal	110	131	152	178	199	220
4 - Vaina	420	420	420	420	420	420
5 - Altura eje pedalier (30-622) / (40-622)	263/278	263/278	263/278	265/280	265/280	265/280
6 - Caída eje pedalier	78	78	78	76	76	76
7 - Distancia entre ejes	1009	1019	1029	1044	1053	1062
8 - Ángulo frontal	70°	70.5°	71°	71°	71.5°	72°
9 - Ángulo del sillín	74°	74°	73.5°	73.5°	73°	73°
10 - Altura base (30-622) / (40-622)	713/727	746/755	768/783	798/813	825/840	853/868
11 - Largo del cuadro	375	382	389	395	402	409
12 - Altura del cuadro	526	548	570	592	614	636
13 - Longitud horquilla	390	390	390	390	390	390
Trail (30-622) / (40-622)	66/71	62/68	59/64	59/64	56/61	53/58

ALTURA (cm)	ALTURA (in)	TALLA
155-166	61.1"-65.4"	XS
167-172	65.7"-67.7"	S
173-179	68.1"-70.5"	M
180-185	70.9"-72.8"	L
186-191	73.2"-75.2"	XL
192-207	75.6"-81.5"	XXL




Blue Carbon-Leo Orange
(Gloss) **AC**

Infinity Green Carbon (Matt)
AI



Stone Silver (Matt)-Ice Green
(Gloss) **AE**

MyO
CM



TERRA M21eTEAM 1X

Ref.	M114		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
5.299	5,799	5,299

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	SRAM Force 1 DM Dub 40t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	Easton EC90 AX Carbon, flare 12°, Di2 internal routing
	OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole
	OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole
	OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole



	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15
Cinta de manillar	Orbea Anti-Slippery/Shock Proof
Potencia	OC RP10 Road Performance ICR, -8°, IFC02 Computer mount interface
Manetas	SRAM Force eTap AXS
Freno	SRAM Force eTap AXS
Cambio	SRAM Force XPLR eTAP AXS
Cadena	SRAM Force 12-Speed
Rueda	FULCRUM Rapid Red 500 DB
	Vision 40 SC Disc Carbon TLR CL
Piñón	SRAM XG-1271 XPLR 10-44t 12-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid

Cubierta	Pirelli Cinturato™ Gravel H 700x40c TLR Pirelli Cinturato™ Gravel H 700x45c TLR Hutchinson Fusion 5 Performance TLR 700x30 Pirelli Cinturato™ Velo 700x35c TLR
Tija sillín	OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjustment
Sillín	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Batería	SRAM Powerpack
Almacenaje	Accessories Containers

TERRA M20iTEAM

Ref.	M113		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
4.799	5,399	4,799

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Shimano GRX RX810 31x48t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30 Gravel, Reach 80, Drop 125, Flare 12, w/Di2 hole
	OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole
	OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole
	OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole
	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15



	Easton EC90 AX Carbon, flare 12°, Di2 internal routing
Cinta de manillar	Orbea Anti-Slippery/Shock Proof
Potencia	OC RP10 Road Performance ICR, -8°, IFC02 Computer mount interface
Manetas	Shimano ST-RX815
Freno	Shimano BR-RX810 Hydraulic disc
Cambio	Shimano RD-RX815
Desviador	Shimano FD-RX815
Cadena	Shimano HG 601
Rueda	FULCRUM Rapid Red 900 DB
	Vision 40 SC Disc Carbon TLR CL
	FULCRUM Rapid Red 500 DB AFS
Piñón	Shimano Ultegra HG800 11-34t 11-Speed
	Shimano Ultegra R8000 11-30 11-Speed
	Shimano Ultegra R8000 11-32 11-Speed

Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Cubierta	Pirelli Cinturato™ Gravel H 700x40c TLR Pirelli Cinturato™ Gravel H 700x45c TLR Hutchinson Fusion 5 Performance TLR 700x30 Pirelli Cinturato™ Velo 700x35c TLR
Tija sillín	OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjustment
Sillín	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Almacenaje	Accessories Containers

TERRA M31eTEAM 1X

Ref.	M112		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
3.999	4,499	3,999

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	SRAM Rival 1 Dub Wide 40t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30 Gravel, Reach 80, Drop 125, Flare 12, w/Di2 hole
	OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole
	OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole
	OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole
	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15



	Easton EC90 AX Carbon, flare 12°, Di2 internal routing
Cinta de manillar	Orbea Anti-Slippery/Shock Proof
Potencia	OC RP10 Road Performance ICR, -8°, IFC02 Computer mount interface
Manetas	SRAM Rival eTap AXS
Freno	SRAM Rival eTap AXS
Cambio	SRAM Rival XPLR eTap AXS
Cadena	SRAM Rival 12-Speed
Rueda	FULCRUM Rapid Red 900 DB
	Vision 40 SC Disc Carbon TLR CL
	FULCRUM Rapid Red 500 DB AFS
Piñón	SRAM XG-1251 XPLR 10-44t 12-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid

Cubierta	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c
	Pirelli Cinturato™ Gravel H 700x45c TLR
	Hutchinson Fusion 5 Performance TLR 700x30
	Pirelli Cinturato™ Velo 700x35c TLR
Tija sillín	OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjustment
Sillín	Prologo Akero AGX STN size 155mm
	Prologo Scratch-M5 Pas T2.0 size 140mm
	Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Batería	SRAM Powerpack
Almacenaje	Accessories Containers

TERRA M20 TEAM

Ref.	M111		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
3.599	3,999	3,599

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Shimano GRX RX810 31x48t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30 Gravel, Reach 80, Drop 125, Flare 12, w/Di2 hole
	OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole
	OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole
	OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole
	OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15
	Easton EC90 AX Carbon, flare 12°, Di2 internal routing
Cinta de manillar	Orbea Anti-Slippery/Shock Proof



Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface
Manetas	Shimano ST-RX810
Freno	Shimano RX810 Hydraulic disc
Cambio	Shimano RD-RX810
Desviador	Shimano GRX RX810
Cadena	KMC X11-EL
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H
	Vision 40 SC Disc Carbon TLR CL
	FULCRUM Rapid Red 900 DB AFS
	FULCRUM Rapid Red 500 DB AFS
Piñón	Shimano Ultegra HG800 11-34t 11-Speed
	Shimano Ultegra R8000 11-30 11-Speed
	Shimano Ultegra R8000 11-32 11-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid

Cubierta	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c
	Pirelli Cinturato™ Gravel H 700x45c TLR
	Hutchinson Fusion 5 Performance TLR 700x30
	Pirelli Cinturato™ Velo 700x35c TLR
Pedales	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)
Tija sillín	OC2 Carbon 27.2 Offset 20
	OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjust
	OC2 forge head 27.2 Offset 0
Sillín	Prologo Akero AGX STN size 155mm
	Prologo Scratch-M5 Pas T2.0 size 140mm
	Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Almacenaje	Accessories Containers

TERRA M30 TEAM

Ref.	M109		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
3.199	3,599	3,199

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Shimano GRX RX600 30x46t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30 Gravel, Reach 80, Drop 125, Flare 12, w/Di2 hole OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15 Easton EC90 AX Carbon, flare 12°, Di2 internal routing
Cinta de manillar	Orbea Anti-Slippery/Shock Proof



Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface
Manetas	Shimano ST-RX600
Freno	Shimano RX400 Hydraulic disc
Cambio	Shimano RD-RX810
Desviador	Shimano GRX RX810
Cadena	Shimano HG 601
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H Vision 40 SC Disc Carbon TLR CL FULCRUM Rapid Red 900 DB AFS FULCRUM Rapid Red 500 DB AFS
Piñón	Shimano 105 R7000 11-34t 11-Speed Shimano 105 R7000 11-32t 11-Speed Shimano 105 R7000 11-30t 11-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Cubierta	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c

	Pirelli Cinturato™ Gravel H 700x45c TLR Classic Hutchinson Fusion 5 Performance TLR 700x30 Pirelli Cinturato™ Velo 700x35c TLR
Kit Tubeless	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)
Tija sillín	OC2 Carbon 27.2 Offset 20 OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjust OC2 forge head 27.2 Offset 0
Sillín	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Almacenaje	Accessories Containers

TERRA M30 TEAM 1X

Ref.	M110		
Talla	Biela	Potencia	Manillar
XS	170	70	400
S	170	80	400
M	170	90	420
L	172	90	420
XL	172	100	440
XXL	175	110	440

PRICES

€	\$	£
3.099	3,499	3,099

Cuadro	Orbea Terra carbon OMR Disc, monocoque construction, HS 1,5", PF30, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x2 P1, Internal Cable Routing, EC/DC compatible
Horquilla	Orbea Terra OMR carbon disc fork, full carbon steerer
Plato	Shimano GRX RX600 40t
Dirección	FSA 1-1/2" Integrated Aluminium Cup
Manillar	OC GR30 Gravel, Reach 80, Drop 125, Flare 12, w/Di2 hole OC RP30-R Road Perf Riser, Reach 70, Drop 125, Rise 15, Di2 hole OC RP10 Road Performance Carbon, Reach 80, Drop 125, Di2 hole OC RP20 Road Performance SL, Reach 80, Drop 125, w/Di2 hole OC GR30-R Gravel Riser, Reach 70, Drop 125, Flare 12, Rise 15 Easton EC90 AX Carbon, flare 12°, Di2 internal routing
Cinta de manillar	Orbea Anti-Slippery/Shock Proof



Potencia	OC RP21 Road Performance ICR, -6°, IFC01 Computer mount interface
Manetas	Shimano ST-RX600
Freno	Shimano RX400 Hydraulic disc
Cambio	Shimano RX812 GS
Cadena	Shimano HG 601
Rueda	Orbea wheel: Ready GR with 12mm E-Thru hubset Shimano RS470 28H Vision 40 SC Disc Carbon TLR CL FULCRUM Rapid Red 900 DB AFS FULCRUM Rapid Red 500 DB AFS
Piñón	Shimano CS-M7000 11-40t 11-Speed
Eje Rueda Trasero	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Eje Rueda Delantero	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Cubierta	Vittoria Terreno Dry CX-Gravel G2.0 TNT 700x38c Pirelli Cinturato™ Gravel H 700x45c TLR

	Hutchinson Fusion 5 Performance TLR 700x30 Pirelli Cinturato™ Velo 700x35c TLR
Kit Tubeless	Orbea Kit tubeless (2 x 44mm brass valve + 10m x 23mm tape)
Tija sillín	OC2 Carbon 27.2 Offset 20 OC XP10 Performance Carbon SB0, 27,2mm, w/Micro tilt adjust OC2 forge head 27.2 Offset 0
Sillín	Prologo Akero AGX STN size 155mm Prologo Scratch-M5 Pas T2.0 size 140mm Selle Italia SLR Boost SuperFlow L Manganese Rail
Guardabarros	Orbea SKS 46S 700x45C Black (Max. tire 40C)
Almacenaje	Accessories Containers



ORBEA